MSDS No: OTH090E5 Issue Date: 10 June 2005 Page: 1 of 4

None

None

None

MATERIAL SAFETY DATA SHEET

SECTION 1	PRODUCT AND COMPANY IDENTIFICATION
Trade Name:	OATEY PIPE/GASKET LUBE
Product Use:	Lubricant for bell joint pipe gaskets.
Formula:	See Section 2.
Synonyms:	Pipe lubricant.
Firm Name &	OATEY CO. 4700 West 160th Street P.O. Box 35906 Cleveland,
Mailing Address:	Ohio 44135, U.S.A. http://www.oatey.com
Oatey Phone Number:	(216) 267-7100 or (800) 321-9532
Emergency Phone	For Emergency First Aid call 1-303-623-5716 COLLECT. For
Numbers:	chemical transportation emergencies ONLY, call Chemtrec at
	1-800-424-9300. Outside the U.S. 1-703-527-3887.
Prepared By:	Corporate Director - Safety and Environmental Compliance
Preparation Date:	June 10, 2005

SECTION 2	COMPOSITION	N/INFORMATION	ON INGREDIENTS	5	
Blend of soap and	non-toxic in	gredients:			
INGREDIENTS:	%wt/wt:	CAS NUMBER:	ACGIH TLV TWA:	OSHA PEL TWA:	OTHER:
Potassium soap of fatty acid	Conf.	61790-44-1	None	None	None
Mica	Conf.	12001-26-2	3 mg/m3	20 mppcf	None

57-55-6

Conf. = Confidential

Propylene Glycol

OSHA Hazard Classification: Not hazardous

Conf.

SECTION 3 HAZARDS IDENTIFICATION EMERGENCY OVERVIEW

Amber paste with bland odor. May cause mild eye and skin irritation.

SECTION 4	FIRST AID MEASURES
	CALL 1-303-623-5716 COLLECT
Skin:	Remove contaminated clothing immediately. Wash all exposed areas with
	soap and water. Get medical attention if irritation develops.
Eyes:	If material gets into eyes or if fumes cause irritation, immediately
	flush eyes with plenty of water until chemical is removed. If
	irritation persists, get medical attention immediately.
Inhalation:	Not expected to be a normal route of exposure.

Ingestion: Drink water and call a poison control center or physician immediately. Avoid alcoholic beverages. Never give anything by mouth to an unconscious person.

SECTION 5	FIRE FIGHTING MEASURES
Flashpoint / Method:	> 220 Deg. F / > 104 Deg. C
Flammability:	LEL = Not determined, UEL = Not determined.
Extinguishing	Use water, water fog, alcohol foam, carbon dioxide or dry
Media:	chemical to extinguish.
Special Fire	Firefighters should wear positive pressure self-contained
Fighting	breathing apparatus and full protective clothing for fires in
Procedure:	areas where chemicals are used or stored
Unusual Fire and	
Explosion	
Hazards:	None
Hazardous	
Decomposition	
Products:	None

MSDS No: OTH090E5 Issue Date: 10 June 2005 Page: 2 of 4

SECTION 6 Spill or Leak Procedures:	ACCIDENTAL RELEASE MEASURES This product is a biodegradable soap. For large spills, dike far ahead of spill for later disposal. For cleanup, place bulk material into drums. Take up with sand or other absorbing material and place in a clean, dry, leak proof container. Then rinse any remaining material to
SECTION 7	sewage treatment system, in accordance with any applicable regulations.

SECTION 7HANDLING AND STORAGEHandling:Avoid contact with eyes, skin and clothing. Wash thoroughly after
handling. Do not eat, drink or smoke in the work area.Storage:No special precautions are required.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation:	Provide general or local exhaust ventilation systems.
Respiratory	Normally not necessary. If respirators are used, OSHA requires a
Protection:	written respiratory program that includes at least medical
	certification, training, fit-testing, periodic environmental
	monitoring, maintenance, inspection, cleaning, and convenient sanitary
	storage areas.
Skin	Wear chemically protective gloves to prevent prolonged or repeated
Protection:	skin contact.
Еуе	Wear protective eyeglasses or chemical safety goggles, per OSHA eye
Protection:	and face protection regulations (29 CFR 1910.133). Contact lenses are
	not eye protective devices. Appropriate eye protection must be warn
	instead of, or in conjunction with contact lenses.
Other:	Eye wash and safety shower should be available. Launder contaminated
	clothing and equipment before reuse. Remove material from shoes and
	PPE after use. Never eat, drink, or smoke in work areas. Practice good
	personal hygiene after using this material.
	personar mystene areer asing ents material.

SECTION 9 PH	IYSICAL AND CHEMICAL PROPERTIES
Boiling Point:	>220 Degrees F / 105 Degrees C
Melting Point:	< 32 Degrees F / 0 Degrees C
Vapor Pressure:	Not determined
Vapor Density:	Not determined
Volatile Components:	55%
Solubility In Water:	Complete
pH:	11
Specific Gravity:	1.0
Evaporation Rate:	Not determined
Appearance:	Amber paste
Odor:	Bland
Will Dissolve In:	Water
Material Is:	Paste

MSDS No: OTH090E5 Issue Date: 10 June 2005 Page: 3 of 4

SECTION 10	STABILITY AND REACTIVITY
Stability: Conditions To Avo	Stable.
Hazardous	id: Reactive alloys like aluminum, brass, bronze. Thermal oxidative decomposition can produce oxides of carbon
	and nitrogen.
Decomposition Products:	and nitrogen.
Incompatibility/	
Materials To Avoi	d: Strong oxidizing agents.
Hazardous	u. Scrolly oxidizing agencs.
Polymerization:	Will not occur.
Polymerization.	WIII HOU OCCUI.
SECTION 11	TOXICOLOGICAL INFORMATION
Inhalation:	Not a likely route of entry.
Skin:	Slight skin irritant if allowed to remain in contact.
Eye:	Slight eye irritant.
Ingestion:	None known.
Chronic	
Toxicity:	None known.
Toxicity Data:	Propylene glycol:
	Oral toxicity LD50 (rat): >20,000 mg/kg
	Dermal toxicity LD50 (rabbit): >10,000 mg/kg
Sensitization:	None of the components are known to cause sensitization.
Carcinogenicity:	None of the components are listed as a carcinogen or suspect
	carcinogen by NTP, IARC or OSHA.
Mutagenicity:	None known.
Reproductive	
Toxicity:	None known.
Medical	
Conditions	
Aggravated By	
Exposure:	None known.
SECTION 12	ECOLOGICAL INFORMATION
	ps are known to be biodegradable.
	e sure that use of this product complies with local VOC emission
	ulations, where they exist.
_	known.
SECTION 13	DISPOSAL CONSIDERATIONS
Waste Disposal: D	ispose in accordance with current local, state and federal
r	egulations
RCRA Hazardous Wa	ste Number: Not applicable
EPA Hazardous Was	te ID Number: Not applicable

EPA Hazardous Waste ID Number: Not applicable EPA Hazard Waste Class: Not applicable

MSDS No: OTH090E5 Issue Date: 10 June 2005 Page: 4 of 4

SECTION 14 TRANSPORT	INFORMATION
DOT Less t	han 1 Liter (0.3 gal) Greater than 1 Liter (0.3 gal)
Proper Shipping Name:	Not hazardous under DOT transportation.
Hazard Class/Packing Group:	Not applicable
UN/NA Number:	Not applicable
Hazard Labels:	
IMDG	
	Not applicable
Hazard Class/Packing Group:	
UN Number:	Not applicable
Label:	Not applicable
SECTION 15 REGULATOR	Y INFORMATION
Hazard Category for Section	None
311/312:	None
Section 302 Extremely	This product does not contain any chemicals regulated
Hazardous Substances (TPQ):	under SARA Section 302.
Section 313 Toxic Chemicals:	
	under SARA Section 313
CERCLA 103 Reportable	Report spills required under federal, state and local
Quantity:	regulations.
California Proposition 65:	This product does not contain any chemicals subject
	to the California Proposition 65 regulation.
TSCA Inventory:	All components of this product are on the TSCA
	Inventory or are exempt.
Canadian WHIMS Classification	Not a controlled product. This product has been
	classified in accordance with the hazard criteria of
	the Controlled Products Regulations (CPR) and the MSDS
	contains all the information required by the CPR.

SECTION 16 OTHER INFORMATION

NFPA and HMIS: NFPA Hazard Signal: Health: 1 Flammability: 1 Reactivity: 0 Special: None HMIS Hazard Signal: Health: 1 Flammability: 1 Reactivity: 0 PPE: B

Disclaimer:

The information herein has been compiled from sources believed to be reliable, upto-date, and is accurate to the best of our knowledge. However, Oatey cannot give any guarantees regarding information from other sources, and expressly does not make warranties, nor assumes any liability for its use.