PRODUCT NAME: #1120-RUST INHIBITVE UNIV. PRIMER-OYSTER HMIS CODES: H C F R PRODUCT CODE: 00000000000001120 2 0 ======== [SECTION I - MANUFACTURER IDENTIFICATION] ============ MANUFACTURER'S NAME: RICHARDS PAINT COMPANY ADDRESS : 200 PAINT STREET, ROCKLEDGE, FL 32955 EMERGENCY PHONE : 800-424-9300 DATE PRINTED : 6/13/05 INFORMATION PHONE : 321-636-6200 NAME OF PREPARER: N/A ======[SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION]======= VAPOR PRESSURE WEIGHT REPORTABLE COMPONENTS CAS NUMBER mm Hg @ TEMP PERCENT ______ * AROMATIC HYDROCARBON (XYLENE) 1330-20-7 6.6 68 F 25.41 OSHA PEL-TWA: 100ppm / ACGIH TLV-TWA: 100ppm / ACGIH TLV-STEL 150ppm AROMATIC HYDROCARBON (NAPTHA) 64742-95-6 68 F < 5.0% OSHA PEL: 100 mg/M3, ACGIH TLV: 100 mg/M3, OTHER: 100 mg/M3 77 F ALIPHATIC HYDROCARBON (VM&P NAPHTHA) 64742-89-8 45 < 5.0% OSHA PEL: 300ppm, ACGIH TLV: 300ppm (*) Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372. N/A ====== [SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS] ======= BOILING RANGE: 279 deg F - 328 deg F WPG (H20=8.33): 11.66 lb/gl VAPOR DENSITY: N/A EVAPORATION RATE: N/A APPEARANCE & ODOR: N/A SOLUBILITY IN WATER: N/A COATING V.O.C.: 498 g/l COATING V.O.C.: 4.16 lb/gl ======= [SECTION IV - FIRE AND EXPLOSION HAZARD DATA] ========= FLASH POINT: 50 F METHOD USED: TCC FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: .9 UPPER: 12.6 EXTINGUISHING MEDIA: SPECIAL FIREFIGHTING PROCEDURES: UNUSUAL FIRE AND EXPLOSION HAZARDS: STABILITY: N/A HAZARDOUS POLYMERIZATION: N/A CONDITIONS TO AVOID:

 $\begin{array}{c} \textbf{INCOMPATIBILITY:} \\ \text{N/A} \end{array}$

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: N/A
======================================
INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE: $_{\rm N/A}$
SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: $_{ m N/A}$
INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
HEALTH HAZARDS (Acute and Chronic):
*** CARCINOGENICITY **
NTP CARCINOGEN: N/A IARC MONOGRAPHS: N/A OSHA REGULATED: Yes
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:
EMERGENCY AND FIRST AID PROCEDURES:
======= [SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE] ======
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: $_{ m N/A}$
WASTE DISPOSAL METHOD:
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:
OTHER PRECAUTIONS:
========== [SECTION VIII - CONTROL MEASURES] =========
RESPIRATORY PROTECTION:
VENTILATION: N/A
PROTECTIVE GLOVES:
EYE PROTECTION:



OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N/A
WORK/HYGIENIC PRACTICES:
======================================
N/A

•