# MATERIAL SAFETY DATA SHEET

# SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Seal-Krete® Original WaterProofing Sealer

PART NUMBER: 100001, 100005, 100055

GENERAL USE: Protective coating

PRODUCT DESCRIPTION: Clear to milky - white liquid, characteristic mild odor



NODOCT DESCRIPTION. Clear to minky - writte inquite, characteristic mind duor								
MANUFACTURER'S NAME		DATE PREPARED: April 10, 2006			Page 1 of 4			
Seal-Krete		SUPERSEDES: January 10, 2003						
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMATION						
306 Gandy Road		(800) 323-7357						
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER						
Auburndale, FL 33823-2723	USA	Chemtrec (800) 424-9300 Outside USA (703) 527-3887						
DISTRIBUTOR'S NAME								
Same								
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMATION						
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER						
SECTION 2 - HAZARDOUS INGREDIENTS								
LIAZADDOLIO COMPONENTO	%	0.40.11	FINEOD #	Hazard	RISK PHRASES			

HAZARDOUS COMPONENTS	%	CAS#	EINECS#	Hazard	RISK PHRASES
	(by weight)			Symbol	Full Text Section 16
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.					

# SECTION 3 - HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

Mild liquid, prolonged contact may cause eye irritation. Ingestion may cause gastric distress. Hazard Symbols for this product - None. Risk Phrase - Not classified

#### POTENTIAL HEALTH EFFECTS

INHALATION: None expected, however, certain individuals may experience minor nausea or headaches. Breathing airborne particles or dust from mixing, spraying, sanding, grinding, etc. may cause irritation to respiratory tract.

SKIN: None expected, however, prolonged contact may cause irritation.

EYES: Contact with eyes may cause irritation.

INGESTION: May cause gastric distress, vomiting and diarrhea.

CARCINOGENICITY NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No

#### MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Seal-Krete® Original WaterProofing Sealer

Page 2 of 4 April 10, 2006

# SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention.

# SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product will support combustion. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

#### EXTINGUISHING MEDIA

Carbon dioxide, water fog, dry chemical, chemical foam.

#### FIRE FIGHTING PROCEDURES

Self - contained respiratory equipment; cool containers to prevent pressure buildup and possible explosion when exposed to extreme heat. Caution - material will support combustion!

#### UNUSUAL FIRE AND EXPLOSION HAZARDS

Closed containers can explode due to buildup of pressure when exposed to extreme heat.

#### HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Small spills - wash to sanitary sewer with plenty of water. Large spills - soak up with approved absorbent, shovel product into approved container for disposal. Wash area with plenty of water.

### SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures.

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

NIOSH HAZARDOUS COMPONENTS TWA ppm TWA mg/m3 STEL ppm STEL mg/m3 TWA ppm TWA mg/m3 STEL ppm STEL mg/m3

No hazardous materials present as defined by OSHA -29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.

### PERSONAL PROTECTION:

RESPIRATORY PROTECTION: NIOSH approved respirator designed to remove airborne particulate present in excess of maximum allowable concentrations due to secondary operations such as mixing, spraying, sanding, buffing, etc. Refer to 29 CFR 1910.134 or European Standard EN 149 for regulations.

PROTECTIVE GLOVES: Recommended for general protection

EYE PROTECTION: Safety glasses recommended for general protection Refer to 29 CFR 1910.133 or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET PRODUCT NAME: Seal-Krete® Original WaterProofing Sealer Page 3 of 4 April 10, 2006 SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES VAPOR PRESSURE APPEARANCE AND ODOR Clear to milky - white liquid, characteristic mild odor 17 mm Hg @ 20° C SPECIFIC GRAVITY (WATER = 1) 7.9 - 8.9BOILING POINT / BOILING RANGE SOLUBILITY IN WATER 212° F (100° C) Emulsifiable FLASH POINT VISCOSITY > 200° F (> 93.3° C) Not specified FLAMMABLE LIMITS VAPOR DENSITY (AIR = 1) LEL: Not applicable UEL: Not applicable AUTOIGNITION TEMPERATURE **EVAPORATION RATE (WATER = 1)** Not determined VOLATILE ORGANIC COMPOUNDS (VOC's) < 100 grams / liter SECTION 10 - STABILITY AND REACTIVITY UNSTABLE: CONDITIONS TO AVOID: Extreme temperatures, keep from freezing. STABILITY STABLE: XXX INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids. HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced. HAZARDOUS POLYMERIZATION MAY OCCUR: CONDITIONS TO AVOID: None WILL NOT OCCUR: XXX SECTION 11 - TOXICOLOGICAL INFORMATION LD50 of Ingredient CAS# LC50 of Ingredient **Hazardous Components** (Specify Species and Route) **EINECS#** (Specify Species) No hazardous materials present as defined by OSHA -29 CFR 1910.1000: EPA - 40 CFR 260 - 281, 302, 355. 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.

### SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

# SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Product is classified as non - hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.

# SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Non - Hazardous for Transport

DOT HAZARD CLASS / Packaging Group: Not regulated IATA HAZARD CLASS / Packaging Group: Not regulated

IMDG HAZARD CLASS: Not regulated REFERENCE: Not Applicable

UN / NA IDENTIFICATION NUMBER: None RID / ADR Dangerous Goods Code: Not regulated

UN TDG Class / Packaging Group: Not regulated LABEL: None Required

HAZARD SYMBOLS: None Hazard Identification Number (HIN): None

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

### MATERIAL SAFETY DATA SHEET PRODUCT NAME: Seal-Krete® Original WaterProofing Sealer Page 4 of 4 April 10, 2006 SECTION 15 - REGULATORY INFORMATION TSCA (USA - Toxic Substance Control Act) All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50. SARA TITLE III (USA - Superfund Amendments and Reauthorization Act) 311/312 Hazard Categories None 313 Reportable Ingredients: None CERCLA (USA - Comprehensive Response Compensation and Liability Act) California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986 There are no chemicals present known to the state of California to cause cancer or reproductive toxicity. **CPR (Canadian Controlled Products Regulations)** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: Not controlled **IDL** (Canadian Ingredient Disclosure List) Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2. DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List) Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated. EINECS (European Inventory of Existing Commercial Chemical Substances) Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances. WGK Water Quality Index: nwg VbK Index: A III SYMBOL(S) REQUIRED FOR SAFETY PHRASES: **RISK PHRASES:** LABEL Not classified S2 Keep out of the reach of children. S25 Avoid contact with eyes. None SECTION 16 - OTHER INFORMATION Not classified Notes & full R-Phrase text HMIS HAZARD RATINGS HEALTH \* = Chronic Health Hazard 2 = MODERATE n 0 = INSIGNIFICANT 3 = HIGH**FLAMMABILITY** 1 4 = EXTREME PHYSICAL HAZARD 0 1 = SLIGHT PERSONAL PROTECTIVE EQUIPMENT Α Safety Glasses

**REVISION SUMMARY:** 

This MSDS has been revised in the following Complete format revision sections:

MSDS Prepared by: Comprehensive Data Base, Inc.

P.O. Box 5604

Lakeland, FL 33807 USA (863) 644 - 3298 www.compdatabase.com

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.